


CERTIFICATE OF ANALYSIS OF REFERENCE STANDARD

Date of Analysis: 02 Nov 2020

Reference standard : Azithromycin EP Impurity K / Azithromycin E
Catalog no : VL1860017
Batch no :
IUPAC Name : C14,1"-Epoxy Azithromycin
CAS Number : 612534-95-9



Molecular Weight : 762.97 g/mol
Molecular Formula : C38H70N2O13

Sr. No.	Test	Results	Data ref.
1	Appearance	Off White powder	-----
2	Purity by HPLC	93.89%	Chromatogram Attached
3	Mass	Confirmed	Report attached
4	NMR	Confirmed	Report attached
5	FT-IR	Confirmed	Report attached

Method of Analysis : Analyzed as per EP method.
Material shipping conditions : At room temperature
Long term storage : Store at 2-8°C. Protect from moisture and direct sunlight.
Date of manufacturing : 28 Oct 2020
Expiry date : 27 Oct 2025
Document data reference : AMD/LNB/VL1860017

Certificate of Analysis is valid for 5 years from the date of manufacturing, provided the substance is stored under suitable conditions.

Prepared by
Analytical

Reviewed by
QA

Approved by
Analytical Director

INDIA

Veeprho Laboratories Pvt. Ltd.
1st floor, Khandge Empire,
Fun Square, Talegaon-Dabhade,
Pune - 410506
+91-8975512417
research@veeprholabs.com
sales@veeprho.com

EUROPE

Veeprho Pharmaceuticals s.r.o.
Prumyslová 1306/7, 102 00
Praha 15-Hostivar, Czech
Republic, EU
andrej@veeprho.com
+420-773033992

USA

Veeprho Research Inc.
300 Main St. Ste 21 PMB 1257
Madison, NJ 07940
research1-us@veeprho.com
Ph.+420 773 033 992
Ph.+420 773 033 980

UK

Veeprho Life Sciences UK Ltd.
7 Eynsford Terrace,
Royal Lane, West Drayton,
Middlesex UB78QN
research1-uk@veeprho.com
+420-773-033-992
+420-773-033-980